Index

IEE Proceedings-H
Microwaves, Antennas and Propagation
Vol. 139, 1992

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Alford, N.NcN., Lancaster, M.J., Maclean, T.S.M., Wu, Z., Porch, A., and Woodall, P. see Lancaster, M.J.
Ali, S.M., Gu, Q., and Sheen, D.M. see Gu, Q.
Anderson, A.P., Lord, J.A., and Cook, G.G. see Lord, J.A.
Anderson, A.P., and Aspden, P.L. see Aspden, P.L.
Ando, M., Takahashi, M., Takada, J., and Goto, N. see Takahashi, M.
Antar, Y.M.M., Bhattacharyya, A.K., and Ittipiboon, A. see Bhattacharyya, A.K.
Arora, R.K., and Lu, Z. Graphical depiction of the electromagnetic fields of Hermite–Gaussian modes p369
Aspden, P.L., and Anderson, A.P. Identification of passive intermodulation product generation on microwave reflecting surfaces p337
Auchterlonie, L.J., Fletcher, P.N., Hardaker, P.J., and Holt, A.R. see Fletcher, P.N.

B

Basu, B.N., Sinha, A.K., Verma, R., Gupta, R.K., Kumar, L., Joshi, S.N., and Jain, P.K. see Sinha, A.K.
Baudrand, H., Couffignal, P., and Obregon, J. see Couffignal, P.
Beker, B., and Ho, T.Q. see Ho, T.Q.
Benjamin, R., and Seeds, A.J. Optical beam forming techniques for phased array antennas p526
Bennett, J.A., and Dyson, P.L. see Dyson, P.L.
Bhattacharyya, A.K., Antar, Y.M.M., and Ittipiboon, A. Full wave analysis for the equivalent circuit of an inclined slot on a microstrip ground plane p245
Bhattacharyya, A.K., Antar, Y.M.M., and Ittipiboon, A. Spectral domain analysis of aperture-coupled microstrip patch antennas p459
Biswas, A., Thorburn, M.A., and Tripathi, V.K. see Thorburn, M.A.
Boix, R.R., Martel, J., and Horno, M. see Martel, J.
Bokhari, S.A., Mosig, J.R., and Gardiol, F.E. Radiation pattern computation of microstrip antennas on finite size ground planes p278
Bor, S.-S., and Yang, T.-L. see Yang, T.-L.
Bornemann, J., Cai, Z., Xiao, S., and Vahldieck, R. see Cai, Z.
Bosisio, R.G., and Xu, Y. see Xu, Y.
Brennan, P.V. Impedance matching method using passive lossless feedback p397
Brennan, P.V., and Houghton, A.W. see Houghton, A.W.
Bridge, J.P., Ladbrooke, P.H., and Hill, A.J. Characterisation of GaAs FET and HEMT chips and packages for accurate hybrid circuit design p330
Bucci, O.M., D'Elia, G., Leone, G., and Pierri, R. Far-field computation from amplitude near-field data on two surfaces: cylindrical case p143
Bucci, O.M., and Di Massa, G. Open resonators powered by a rectangular waveguide p323
Buechler, J., Luy, J.-F., Strohm, K.M., and Russer, P. see Luy, J.-F.
Butler, C.M., Mannikko, P.D., and Courtney, C.C. see Mannikko, P.D.
Butler, C.M., and Silvestro, J.W. see Silvestro, J.W.

C

Cai, Z., Xiao, S., Bornemann, J., and Vahldieck, R. Tensor-based characteristic impedance calculations of microstrips on ferrite-dielectric substrates for integrated phase shifter applications p125
Caorsi, S., Gragnani, G.L., and Pastorino, M. Numerical solution to three-dimensional inverse scattering for dielectric reconstruction purposes p45
Carlson, B.D., and Willner, W. Antenna pattern synthesis using weighted least squares p11
Centeno, A.E., and Morgan, G.B. Design of millimetre wave dielectric resonators for integrated circuits p307
Chen, H.-T., and Wong, K.-L. see Wong, K.-L.
Chen, Y., Simpson, T.L., and Ho, T.Q. Highly efficient technique for solving radiation and scattering problems p7
Cherepanov, A.S., Tretyakov, S.A., and Oksanen, M.I. see Tretyakov, S.A.
Chiang, Y.-C., Tzuang, C.-K.C., and Su, S. Design of a three-dimensional gap-coupled suspended substrate stripline bandpass filter p376
Chin, F., Ko, C.C., and Wen, J. see Ko, C.C.
Clarke, R.N., Jenkins, S., and Warham, A.G.P. see Jenkins, S.
Collier, R.J., and D'Souza, M.F. Phase shifters for dielectric guides p202
Cook, G.G., Lord, J.A., and Anderson, A.P. see Lord, J.A.
Cory, H., and Tamir, T. Coupling processes in circular open chirowaveguides p165
Couffignal, P., Obregon, J., and Baudrand, H. Equivalent circuit of a cavity coupled to a feeding line and its dependence on the electric or magnetic nature of output coupling structure p221
Courtney, C.C., Mannikko, P.D., and Butler, C.M. see Mannikko, P.D.
Cruz, J.L., Navarro, E.A., Such, V., and Gimeno, B. see Navarro, E.A.

D

D'Elia, G., Bucci, O.M., Leone, G., and Pierri, R. see Bucci, O.M.
D'Souza, M.F., and Collier, R.J. see Collier, R.J.
Davis, L.E., and Dmitriyev, V.A. see Dmitriyev, V.A.
Debono, P., Stylianou, A., and Vardaxoglou, J.C. see Stylianou, A.
Di Massa, G., and Bucci, O.M. see Bucci, O.M.
Di, X., Glisson, A.W., and Michalski, K.A. Analysis of a dielectric resonator antenna in a cylindrical conducting cavity: TE and TM modes p453
Dmitriyev, V.A., and Davis, L.E. Nonreciprocal devices using ferrite ring resonators p257
Dyson, P.L., and Bennett, J.A. Exact ray path calculations using realistic ionospheres p407

E

El-Hajj, A., Kabalan, K.Y., and Harrington, R.F. see Kabalan, K.Y.
Eliades, D.E. Paraxial radio-wave propagation over a ridge or valley p424
Eliades, D.E. Path integral analysis of paraxial radiowave propagation over a cliff edge p84
Er, M.H., and Ng, B.C. Linear antenna array design with partial adaptivity p25
Ermutlu, M.E., Lindell, I.V., and Sihvola, A.H. see Lindell, I.V.

F

Fletcher, P.N., Hardaker, P.J., Auchterlonie, L.J., and Holt, A.R. Comparison of experimental and theoretical scattering effects from melting ice spheres at microwave and millimetre-wave frequencies p545
Fu, J., and Song, B. see Song, B.

G

Gardiol, F.E., Bokhari, S.A., and Mosig, J.R. see Bokhari, S.A.
Gimeno, B., Navarro, E.A., Such, V., and Cruz, J.L. see Navarro, E.A.
Glisson, A.W., Di, X., and Michalski, K.A. see Di, X.
Goddard, J.W.F., and Thurai, M. see Thurai, M.
Goto, N., Takahashi, M., Takada, J., and Ando, M. see Takahashi, M.
Gragnani, G.L., Caorsi, S., and Pastorino, M. see Caorsi, S.
Grattan, C.L. Compact-scan, plane-polar microwave holographic technique for reflector antenna profile measurement p91
Gu, Q., Sheen, D.M., and Ali, S.M. Analysis of transients in frequency-dependent interconnections and planar circuits with nonlinear loads p38
Guillon, P., Madrangeas, B., Jarry, B., Larroque, J., Theron, B., and Parise, D. see Madrangeas, B.
Gupta, M.S. Power combining efficiency and its optimisation p233
Gupta, R.K., Sinha, A.K., Verma, R., Kumar, L., Joshi, S.N., Jain, P.K., and Basu, B.N. see Sinha, A.K.

H

Hall, P.S. Dual polarisation antenna arrays with sequentiallly rotated feeding p465
Hamilton, L.R., Wandzura, S.M., Thorington, C.B., and Turley, R.S. see Wandzura, S.M.
Hansen, R.C., and Kramer, E. Correction to 'short-pulse excitation of reflector antennas' p119
Hardaker, P.J., Fletcher, P.N., Auchterlonie, L.J., and Holt, A.R. see Fletcher, P.N.
Harmuth, H.F., and Mohamed, N.J. Large-current radiators p358
Harrington, R.F., Kabalan, K.Y., and El-Hajj, A. see Kabalan, K.Y.
Hassani, H.R., and Mirshekar-Syahkal, D. Analysis of triangular patch antennas including radome effects p251
Helszajn, J. Eigenvalue description of the quarter wave plate p110
Helszajn, J., and Nisbet, W.T. Complex gyrator circuit of junction circulators using weakly magnetised ring resonators p319
Herdeg, W.F., Wendel, H., and Röde, B. Novel type of scattering centre in horizontally polarised bistatic edge scattering p113
Hill, A.J., Bridge, J.P., and Ladbrooke, P.H. see Bridge, J.P.
Hjipieris, G., and Potter, C.M. see Potter, C.M.
Ho, T.Q., Chen, Y., and Simpson, T.L. see Chen, Y.
Ho, T.Q., and Beker, B. Asymmetric microstrip lines on anisotropic substrates with material axes inclined in the transverse plane p421
Holt, A.R., Fletcher, P.N., Hardaker, P.J., and Auchterlonie, L.J. see Fletcher, P.N.
Horno, M., Martel, J., and Boix, R.R. see Martel, J.
Houghton, A.W., and Brennan, P.V. Phased array control using phase-locked-loop phase shifters p31
Huang, Y., Lancaster, M.J., Wu, Z., and Maclean, T.S.M. see Lancaster, M.J.

I

Inderjit, ., and Sachidananda, M. Rigorous analysis of a groove guide p449
Isernia, T., Leone, G., and Pierri, R. New approach to antenna testing from near field phaseless data: the cylindrical scanning p363
Ittipiboon, A., Bhattacharyya, A.K., and Antar, Y.M.M. see Bhattacharyya, A.K.

J

Jain, P.K., Sinha, A.K., Verma, R., Gupta, R.K., Kumar, L., Joshi, S.N., and Basu, B.N. see Sinha, A.K.
Jarry, B., Madrangeas, B., Guillon, P., Larroque, J., Theron, B., and Parise, D. see Madrangeas, B.
Jenkins, S., Warham, A.G.P., and Clarke, R.N. Use of open-ended coaxial line sensor with a laminar or liquid dielectric backed by a conducting plane p179
Jin, J.-M., Volakis, J.L., and Liepa, V.V. Fictitious absorber for truncating finite element meshes in scattering p472
Joshi, S.N., Sinha, A.K., Verma, R., Gupta, R.K., Kumar, L., Jain, P.K., and Basu, B.N. see Sinha, A.K.
Joshi, S.N., and Srivastava, V. see Srivastava, V.

K

Kabalan, K.Y., El-Hajj, A., and Harrington, R.F. Characteristic modes of a slot in a conducting cylinder and their use for penetration and scattering: TM case p287
Kildal, P.-S., and Moldsvor, A. see Moldsvor, A.
Kildal, P.-S., and Zieniutycz, W. see Zieniutycz, W.
Kim, S.Y., Lee, J.M., and Ra, J.W. see Lee, J.M.
Ko, C.C., Wen, J., and Chin, F. Adaptive null-steering algorithm for separating multiple directional sources in linear power-inversion arrays p477

Kolundžija, B.M., and Popović, B.D. Entire domain Galerkin method for analysis of generalised wire antennas and scatterers p17
Kramer, E., and Hansen, R.C. see Hansen, R.C.
Kumar, L., Sinha, A.K., Verma, R., Gupta, R.K., Joshi, S.N., Jain, P.K., and Basu, B.N. see Sinha, A.K.
Kuzuoğlu, M., and Önder, M. see Önder, M.

L

Ladbrooke, P.H., Bridge, J.P., and Hill, A.J. see Bridge, J.P.
Lakhtakia, A., and Weiglhofer, W.S. Scattering by an electrically small bianisotropic sphere in a gyroelectromagnetic uniaxial medium p217
Lamb, J.W. Beam-mode expansion applied to focal-region fields p513
Lancaster, M.J., Maclean, T.S.M., Wu, Z., Porch, A., Woodall, P., and Alford, N.NcN. Superconducting microwave resonators p149
Lancaster, M.J., Wu, Z., Maclean, T.S.M., and Huang, Y. Supercooled and superconducting small-loop and dipole antennas p264
Langley, R.J., Lee, C.K., and Parker, E.A. see Lee, C.K.
Larroque, J., Madrangeas, B., Jarry, B., Guillon, P., Theron, B., and Parise, D. see Madrangeas, B.
Larsen, T. Extended source and load operating noise temperatures of nonlinear systems p121
Larsen, T. Noise temperatures of multiresponse systems p309
Lee, C.K., Langley, R.J., and Parker, E.A. Compound reflector antennas p135
Lee, J.M., Kim, S.Y., and Ra, J.W. Filtering effects on permittivity profiles reconstructed by a spectral inverse scattering technique p507
Leone, G., Bucci, O.M., D'Elia, G., and Pierri, R. see Bucci, O.M.
Leone, G., Isernia, T., and Pierri, R. see Isernia, T.
Liepa, V.V., Jin, J.-M., and Volakis, J.L. see Jin, J.-M.
Lin, Y., and Shafai, L. Analysis of biconical microstrip antennas p483
Lindell, I.V., Ermutlu, M.E., and Sihvola, A.H. Electrostatic image theory for layered dielectric sphere p186
Lord, J.A., Cook, G.G., and Anderson, A.P. Reconstruction of the excitation of an array antenna from the measured near-field intensity using phase retrieval p392
Lu, Z., and Arora, R.K. see Arora, R.K.
Luy, J.-F., Strohm, K.M., Buechler, J., and Russer, P. Silicon monolithic millimetre-wave integrated circuits p209

M

Maamria, K., and Nakamura, T. Simple antenna for circular polarisation p157
Macháč, J. Analysis of discontinuities in waveguiding structures by MAB method p351
Maclean, T.S.M., Lancaster, M.J., Wu, Z., Porch, A., Woodall, P., and Alford, N.NcN. see Lancaster, M.J.
Maclean, T.S.M., Lancaster, M.J., Wu, Z., and Huang, Y. see Lancaster, M.J.
Madrangeas, B., Jarry, B., Guillon, P., Larroque, J., Theron, B., and Parise, D. Three-pole dielectric resonators microwave bandpass active filter p205
Mannikko, P.D., Courtney, C.C., and Butler, C.M. Slotted parallel-plate waveguide coupled to a conducting cylinder p193
Martel, J., Boix, R.R., and Horno, M. Analysis of broadside coupled microstrip open-end discontinuities p239
Michalski, K.A., Di, X., and Glisson, A.W. see Di, X.
Mirshekar-Syahkal, D., and Hassani, H.R. see Hassani, H.R.
Mohamed, N.J., and Harmuth, H.F. see Harmuth, H.F.
Moldsvor, A., and Kildal, P.-S. Systematic approach to control feed scattering and multiple reflections in symmetrical primary-fed reflector antennas p65
Mongia, R.K. Theoretical and experimental resonant frequencies of rectangular dielectric resonators p98
Morgan, G.B., and Centeno, A.E. see Centeno, A.E.
Mosig, J.R., Bokhari, S.A., and Gardiol, F.E. see Bokhari, S.A.

N

Nair, R.A. Plural hybrid mode multiflare conical horn with reduced cross polarisation and sidelobe levels p385
Nakamura, T., and Maamria, K. see Maamria, K.
Navarro, E.A., Such, V., Gimeno, B., and Cruz, J.L. Analysis of *H*-plane waveguide discontinuities with an improved finite-difference time domain algorithm p183
Navarro, E.A., and Such, V. Study of TE and TM modes in waveguides of arbitrary cross-section using an FD-TD formulation p491
Ng, B.C., and Er, M.H. see Er, M.H.
Ng, B.P. Array shape self-calibration technique for direction finding problems p521
Nisbet, W.T., and Helszajn, J. see Helszajn, J.
Ntonme, J., Tonye, E., and Temdenou, J.-B. see Tonye, E.

O

Obregon, J., Couffignal, P., and Baudrand, H. see Couffignal, P.
Oksanen, M.I., Tretyakov, S.A., and Cherepanov, A.S. see Tretyakov, S.A.
Önder, M., and Kuzuoğlu, M. Reconstruction of permittivity and conductivity profiles of a dielectric slab in the time domain by descent methods p435
Ouda, M., and Sebak, A. Scattering from lossy dielectric cylinders using a multifilament current model with impedance boundary conditions p429

P

Parise, D., Madrangeas, B., Jarry, B., Guillon, P., Larroque, J., and Theron, B. see Madrangeas, B.
Parker, E.A., Lee, C.K., and Langley, R.J. see Lee, C.K.
Pastorino, M., Caorsi, S., and Gragnani, G.L. see Caorsi, S.
Pathak, P.H., and Somers, G.A. see Somers, G.A.
Pichon, L., and Razek, A. Electromagnetic field computations in a three-dimensional cavity with a waveguide junction of a frequency standard p343
Pierri, R., Bucci, O.M., D'Elia, G., and Leone, G. see Bucci, O.M.
Pierri, R., Isernia, T., and Leone, G. see Isernia, T.
Popović, B.D., and Kolundžija, B.M. see Kolundžija, B.M.
Porch, A., Lancaster, M.J., Maclean, T.S.M., Wu, Z., Woodall, P., and Alford, N.NcN. see Lancaster, M.J.
Potter, C.M., and Hjipieris, G. Improvements in ultra-broadband TEM coupler design p171

R

Ra, J.W., Lee, J.M., and Kim, S.Y. see Lee, J.M.
Rao, T.C.K. Radiation characteristics of a circular waveguide containing a chiral medium p1
Razek, A., and Pichon, L. see Pichon, L.
Ro, R., Varadan, V.V., and Varadan, V.K. Electromagnetic activity and absorption in microwave chiral composites p441
Röde, B., Herdeg, W.F., and Wendel, H. see Herdeg, W.F.
Russer, P., Luy, J.-F., Strohm, K.M., and Buechler, J. see Luy, J.-F.

S

Sachidananda, M., and Inderjit, . see Inderjit, .
Sakagami, I. Frequency domain behaviour of coupled-line digital frequency multipliers p271
Sangster, A.J. Scattering analysis of a waveguide slot radiator enclosed in a parallel plate polariser p414
Sebak, A., and Ouda, M. see Ouda, M.
Seeds, A.J., and Benjamin, R. see Benjamin, R.
Seker, S.S. VHF/UHF radiowave propagation through forests: modelling and experimental observations p72
Shafai, L., and Lin, Y. see Lin, Y.
Sheen, D.M., Gu, Q., and Ali, S.M. see Gu, Q.
Sihvola, A.H., Lindell, I.V., and Ermutlu, M.E. see Lindell, I.V.
Silvestro, J.W., and Butler, C.M. TE scattering from a perfectly conducting wedge loaded by a slot p105
Simpson, T.L., Chen, Y., and Ho, T.Q. see Chen, Y.
Sinha, A.K., Verma, R., Gupta, R.K., Kumar, L., Joshi, S.N., Jain, P.K., and Basu, B.N. Simplified tape model of arbitrarily-loaded helical slow-wave structures of a travelling-wave tube p347
Somers, G.A., and Pathak, P.H. Uniform GTD solution for the diffraction by metallic tapes on panelled compact-range reflectors p297
Song, B., and Fu, J. Efficient analysis of finline structures by the boundary-element method p116
Song, B., and Fu, J. Modified indirect boundary element technique and its application to electromagnetic potential problems p292
Srivastava, V., and Joshi, S.N. Improved nonlinear model for multisignal analysis of helix TWTs p129
Strohm, K.M., Luy, J.-F., Buechler, J., and Russer, P. see Luy, J.-F.
Stylianou, A., Debono, P., and Vardaxoglou, J.C. Iterative computation of current and field distributions in multilayer frequency selective surfaces p535
Su, S., Chiang, Y.-C., and Tzuang, C.-K.C. see Chiang, Y.-C.
Such, V., Navarro, E.A., Gimeno, B., and Cruz, J.L. see Navarro, E.A.
Such, V., and Navarro, E.A. see Navarro, E.A.

T

Takada, J., Takahashi, M., Ando, M., and Goto, N. see Takahashi, M.
Takahashi, M., Takada, J., Ando, M., and Goto, N. Characteristics of small-aperture, single-layered, radial-line slot antennas p79
Tamir, T., and Cory, H. see Cory, H.
Temdenou, J.-B., Tonye, E., and Ntonme, J. see Tonye, E.
Theron, B., Madrangeas, B., Jarry, B., Guillon, P., Larroque, J., and Parise, D. see Madrangeas, B.
Thorburn, M.A., Biswas, A., and Tripathi, V.K. Application of the method of lines to planar transmission lines in waveguides with composite cross-sectional geometries p542
Thorington, C.B., Wandzura, S.M., Turley, R.S., and Hamilton, L.R. see Wandzura, S.M.
Thurai, M., and Goddard, J.W.F. Precipitation scatter measurements from a transhorizon experiment at 11.2 GHz p53
Tonye, E., Temdenou, J.-B., and Ntonme, J. Computer simulation of multimicrostrip patches antenna problem p59
Tretyakov, S.A., Oksanen, M.I., and Cherepanov, A.S. New ferrite-filled waveguiding structures analysed by the averaging method p227
Tripathi, V.K., Thorburn, M.A., and Biswas, A. see Thorburn, M.A.
Turley, R.S., Wandzura, S.M., Thorington, C.B., and Hamilton, L.R. see Wandzura, S.M.
Tzuang, C.-K.C., Chiang, Y.-C., and Su, S. see Chiang, Y.-C.

V

Vahldieck, R., Cai, Z., Xiao, S., and Bornemann, J. see Cai, Z.
Van de Capelle, A.R., and Vandenbosch, G.A.E. see Vandenbosch, G.A.E.
Vandenbosch, G.A.E., and Van de Capelle, A.R. Use of subsectional edge expansion functions (SEEFs) to analyse rectangular microstrip antennas with the method of moments p159
Varadan, V.K., Ro, R., and Varadan, V.V. see Ro, R.
Varadan, V.V., Ro, R., and Varadan, V.K. see Ro, R.
Vardaxoglou, J.C., Stylianou, A., and Debono, P. see Stylianou, A.
Verma, R., Sinha, A.K., Gupta, R.K., Kumar, L., Joshi, S.N., Jain, P.K., and Basu, B.N. see Sinha, A.K.
Volakis, J.L., Jin, J.-M., and Liepa, V.V. see Jin, J.-M.

W

Wandzura, S.M., Thorington, C.B., Turley, R.S., and Hamilton, L.R. Fast Fourier transform techniques for solving the electric field integral equation for a periodic body p401
Warham, A.G.P., Jenkins, S., and Clarke, R.N. see Jenkins, S.
Weiglhofer, W.S., and Lakhtakia, A. see Lakhtakia, A.
Wen, J., Ko, C.C., and Chin, F. see Ko, C.C.
Wendel, H., Herdeg, W.F., and Röde, B. see Herdeg, W.F.
Willner, W., and Carlson, B.D. see Carlson, B.D.
Wong, K.-L., and Chen, H.-T. Electromagnetic scattering by a uniaxially anisotropic sphere p314
Woodall, P., Lancaster, M.J., Maclean, T.S.M., Wu, Z., Porch, A., and Alford, N.NcN. see Lancaster, M.J.
Wu, Z., Lancaster, M.J., Maclean, T.S.M., Porch, A., Woodall, P., and Alford, N.NcN. see Lancaster, M.J.
Wu, Z., Lancaster, M.J., Maclean, T.S.M., and Huang, Y. see Lancaster, M.J.

X

Xiao, S., Cai, Z., Bornemann, J., and Vahldieck, R. see Cai, Z.
Xu, Y., and Bosisio, R.G. Nondestructive measurements of the resistivity of thin conductive films and the dielectric constant of thin substrates using an open-ended coaxial line p500

Y

Yang, T.-L., and Bor, S.-S. Monostatic radar cross-section spectra of a rotating-fan array, with tilted plate metal blades, in the PO/PTD approximation p495

Z

Zieniutycz, W., and Kildal, P.-S. Study of wall region and dielectric losses in a square hard horn p139

AMPLIFIERS

Extended source and load operating noise temperatures of nonlinear systems. T. Larsen p121

ANTENNAS

Characteristics of small-aperture, single-layered, radial-line slot antennas. M. Takahashi, J. Takada, M. Ando and N. Goto p79
Far-field computation from amplitude near-field data on two surfaces: cylindrical case. O.M. Bucci, G. D'Elia, G. Leone and R. Pierri p143
New approach to antenna testing from near field phaseless data: the cylindrical scanning. T. Isernia, G. Leone and R. Pierri p363
Plural hybrid mode multiflare conical horn with reduced cross polarisation and sidelobe levels. R.A. Nair p385
Simple antenna for circular polarisation. K. Maamria and T. Nakamura p157
Spectral domain analysis of aperture-coupled microstrip patch antennas. A.K. Bhattacharyya, Y.M.M. Antar and A. Ittipiboon p459
Supercooled and superconducting small-loop and dipole antennas. M.J. Lancaster, Z. Wu, T.S.M. Maclean and Y. Huang p264
Uniform GTD solution for the diffraction by metallic tapes on panelled compact-range reflectors. G.A. Somers and P.H. Pathak p297

ANTENNAS (APERTURE)

Beam-mode expansion applied to focal-region fields. J.W. Lamb p513

ANTENNAS (ARRAYS)

Antenna pattern synthesis using weighted least squares. B.D. Carlson and W. Willner p11
Dual polarisation antenna arrays with sequentiallly rotated feeding. P.S. Hall p465
Fast Fourier transform techniques for solving the electric field integral equation for a periodic body. S.M. Wandzura, C.B. Thorington, R.S. Turley and L.R. Hamilton p401
Iterative computation of current and field distributions in multilayer frequency selective surfaces. A. Stylianou, P. Debono and J.C. Vardaxoglou p535
Optical beam forming techniques for phased array antennas. R. Benjamin and A.J. Seeds p526
Phased array control using phase-locked-loop phase shifters. A.W. Houghton and P.V. Brennan p31
Reconstruction of the excitation of an array antenna from the measured near-field intensity using phase retrieval. J.A. Lord, G.G. Cook and A.P. Anderson p392
Systematic approach to control feed scattering and multiple reflections in symmetrical primary-fed reflector antennas. A. Moldsvor and P.-S. Kildal p65

ANTENNAS (HORNS AND FEEDS)

Study of wall region and dielectric losses in a square hard horn. W. Zieniutycz and P.-S. Kildal p139

ANTENNAS (MICROSTRIP)

Analysis of biconical microstrip antennas. Y. Lin and L. Shafai p483
Analysis of triangular patch antennas including radome effects. H.R. Hassani and D. Mirshekar-Syahkal p251
Computer simulation of multimicrostrip patches antenna problem. E. Tonye, J.-B. Temdenou and J. Ntonme p59
Full wave analysis for the equivalent circuit of an inclined slot on a microstrip ground plane. A.K. Bhattacharyya, Y.M.M. Antar and A. Ittipiboon p245
Radiation pattern computation of microstrip antennas on finite size ground planes. S.A. Bokhari, J.R. Mosig and F.E. Gardiol p278
Use of subsectional edge expansion functions (SEEFs) to analyse rectangular microstrip antennas with the method of moments. G.A.E. Vandenbosch and A.R. Van de Capelle p159

ANTENNAS (REFLECTORS)

Compact-scan, plane-polar microwave holographic technique for reflector antenna profile measurement. C.L. Grattan p91
Compound reflector antennas. C.K. Lee, R.J. Langley and E.A. Parker p135
Correction to 'short-pulse excitation of reflector antennas'. R.C. Hansen and E. Kramer p119

ANTENNAS (SLOT)

Analysis of a dielectric resonator antenna in a cylindrical conducting cavity: TE and TM modes. X. Di, A.W. Glisson and K.A. Michalski p453
Characteristics of small-aperture, single-layered, radial-line slot antennas. M. Takahashi, J. Takada, M. Ando and N. Goto p79

ANTENNAS (WIRE)

Entire domain Galerkin method for analysis of generalised wire antennas and scatterers. B.M. Kolundžija and B.D. Popović p17

ARRAY PROCESSING

Adaptive null-steering algorithm for separating multiple directional sources in linear power-inversion arrays. C.C. Xo, J. Wen and F. Chin p477
Antenna pattern synthesis using weighted least squares. B.D. Carlson and W. Willner p11
Linear antenna array design with partial adaptivity. M.H. Er and B.C. Ng p25
Phased array control using phase-locked-loop phase shifters. A.W. Houghton and P.V. Brennan p31

CIRCUIT THEORY AND DESIGN

Characterisation of GaAs FET and HEMT chips and packages for accurate hybrid circuit design. J.P. Bridge, P.H. Ladbrooke and A.J. Hill p330
Complex gyrator circuit of junction circulators using weakly magnetised ring resonators. J. Helszajn and W.T. Nisbet p319
Equivalent circuit of a cavity coupled to a feeding line and its dependence on the electric or magnetic nature of output coupling structure. P. Couffignal, J. Obregon and H. Baudrand p221

COAXIAL COMPONENTS

Use of open-ended coaxial line sensor with a laminar or liquid dielectric backed by a conducting plane. S. Jenkins, A.G.P. Warham and R.N. Clarke p179

COMPUTER SIMULATION

Computer simulation of multimicrostrip patches antenna problem. E. Tonye, J.-B. Temdenou and J. Ntonme p59

COMPUTER-AIDED DESIGN

Improved nonlinear model for multisignal analysis of helix TWTs. V. Srivastava and S.N. Joshi p129

CONDUCTORS AND CONDUCTIVITY

Characteristic modes of a slot in a conducting cylinder and their use for penetration and scattering: TM case. K.Y. Kabalan, A. El-Hajj and R.F. Harrington p287
Nondestructive measurements of the resistivity of thin conductive films and the dielectric constant of thin substrates using an open-ended coaxial line. Y. Xu and R.G. Bosisio p500

DESIGN

Characteristics of small-aperture, single-layered, radial-line slot antennas. M. Takahashi, J. Takada, M. Ando and N. Goto p79
Simple antenna for circular polarisation. K. Maamria and T. Nakamura p157

DIELECTRIC MATERIALS

Design of millimetre wave dielectric resonators for integrated circuits. A.E. Centeno and G.B. Morgan p307
Electrostatic image theory for layered dielectric sphere. I.V. Lindell, M.E. Ermutlu and A.H. Sihvola p186
Fictitious absorber for truncating finite element meshes in scattering. J.-M. Jin, J.L. Volakis and V.V. Liepa p472
Nondestructive measurements of the resistivity of thin conductive films and the dielectric constant of thin substrates using an open-ended coaxial line. Y. Xu and R.G. Bosisio p500
Numerical solution to three-dimensional inverse scattering for dielectric reconstruction purposes. S. Caorsi, G.L. Gragnani and M. Pastorino p45
Phase shifters for dielectric guides. R.J. Collier and M.F. D'Souza p202
Study of wall region and dielectric losses in a square hard horn. W. Zieniutycz and P.-S. Kildal p139
Theoretical and experimental resonant frequencies of rectangular dielectric resonators. R.K. Mongia p98
Three-pole dielectric resonators microwave bandpass active filter. B. Madrangeas, B. Jarry, P. Guillon, J. Larroque, B. Theron and D. Parise p205

ELECTROMAGNETIC THEORY

Analysis of biconical microstrip antennas. Y. Lin and L. Shafai p483
Characteristic modes of a slot in a conducting cylinder and their use for penetration and scattering: TM case. K.Y. Kabalan, A. El-Hajj and R.F. Harrington p287
Electromagnetic activity and absorption in microwave chiral composites. R. Ro, V.V. Varadan and V.K. Varadan p441
Electromagnetic scattering by a uniaxially anisotropic sphere. K.-L. Wong and H.-T. Chen p314
Graphical depiction of the electromagnetic fields of Hermite–Gaussian modes. R.K. Arora and Z. Lu p369
Modified indirect boundary element technique and its application to electromagnetic potential problems. B. Song and J. Fu p292
Scattering by an electrically small bianisotropic sphere in a gyroelectromagnetic uniaxial medium. A. Lakhtakia and W.S. Weiglhofer p217
Slotted parallel-plate waveguide coupled to a conducting cylinder. P.D. Mannikko, C.C. Courtney and C.M. Butler p193
TE scattering from a perfectly conducting wedge loaded by a slot. J.W. Silvestro and C.M. Butler p105

FERRITES AND FERROMAGNETICS

Nonreciprocal devices using ferrite ring resonators. V.A. Dmitriyev and L.E. Davis p257
Tensor-based characteristic impedance calculations of microstrips on ferrite-dielectric substrates for integrated phase shifter applications. Z. Cai, S. Xiao, J. Bornemann and R. Vahldieck p125

FILTERS AND FILTERING

Design of a three-dimensional gap-coupled suspended substrate stripline bandpass filter. Y.-C. Chiang, C.-K.C. Tzuang and S. Su p376
Filtering effects on permittivity profiles reconstructed by a spectral inverse scattering technique. J.M. Lee, S.Y. Kim and J.W. Ra p507

IMAGE PROCESSING

Electrostatic image theory for layered dielectric sphere. I.V. Lindell, M.E. Ermutlu and A.H. Sihvola p186
Novel type of scattering centre in horizontally polarised bistatic edge scattering. W.F. Herdeg, H. Wendel and B. Röde p113

INTEGRATED CIRCUITS

Silicon monolithic millimetre-wave integrated circuits. J.-F. Luy, K.M. Strohm, J. Buechler and P. Russer p209

MAGNETIC FIELDS

Characteristic modes of a slot in a conducting cylinder and their use for penetration and scattering: TM case. K.Y. Kabalan, A. El-Hajj and R.F. Harrington p287
Electromagnetic field computations in a three-dimensional cavity with a waveguide junction of a frequency standard. L. Pichon and A. Razek p343

MATHEMATICAL TECHNIQUES

Analysis of *H*-plane waveguide discontinuities with an improved finite-difference time domain algorithm. E.A. Navarro, V. Such, B. Gimeno and J.L. Cruz p183
Array shape self-calibration technique for direction finding problems. B.P. Ng p521
Efficient analysis of finline structures by the boundary-element method. B. Song and J. Fu p116
Far-field computation from amplitude near-field data on two surfaces: cylindrical case. O.M. Bucci, G. D'Elia, G. Leone and R. Pierri p143
Fictitious absorber for truncating finite element meshes in scattering. J.-M. Jin, J.L. Volakis and V.V. Liepa p472
Power combining efficiency and its optimisation. M.S. Gupta p233
Radiation pattern computation of microstrip antennas on finite size ground planes. S.A. Bokhari, J.R. Mosig and F.E. Gardiol p278
Rigorous analysis of a groove guide. . Inderjit and M. Sachidananda p449
Use of subsectional edge expansion functions (SEEFs) to analyse rectangular microstrip antennas with the method of moments. G.A.E. Vandenbosch and A.R. Van de Capelle p159

MICROSTRIP AND STRIPLINE

Analysis of broadside coupled microstrip open-end discontinuities. J. Martel, R.R. Boix and M. Horno p239
Analysis of discontinuities in waveguiding structures by MAB method. J. Machác p351
Asymmetric microstrip lines on anisotropic substrates with material axes inclined in the transverse plane. T.Q. Ho and B. Beker p421
Full wave analysis for the equivalent circuit of an inclined slot on a microstrip ground plane. A.K. Bhattacharyya, Y.M.M. Antar and A. Ittipiboon p245
Spectral domain analysis of aperture-coupled microstrip patch antennas. A.K. Bhattacharyya, Y.M.M. Antar and A. Ittipiboon p459
Tensor-based characteristic impedance calculations of microstrips on ferrite-dielectric substrates for integrated phase shifter applications. Z. Cai, S. Xiao, J. Bornemann and R. Vahldieck p125

MICROWAVE ACTIVE COMPONENTS

Three-pole dielectric resonators microwave bandpass active filter. B. Madrangeas, B. Jarry, P. Guillon, J. Larroque, B. Theron and D. Parise p205

MICROWAVE CIRCUITS AND NETWORKS

Equivalent circuit of a cavity coupled to a feeding line and its dependence on the electric or magnetic nature of output coupling structure. P. Couffignal, J. Obregon and H. Baudrand p221
Frequency domain behaviour of coupled-line digital frequency multipliers. I. Sakagami p271
Impedance matching method using passive lossless feedback. P.V. Brennan p397
Nonreciprocal devices using ferrite ring resonators. V.A. Dmitriyev and L.E. Davis p257
Superconducting microwave resonators. M.J. Lancaster, T.S.M. Maclean, Z. Wu, A. Porch, P. Woodall and N.NcN. Alford p149
Theoretical and experimental resonant frequencies of rectangular dielectric resonators. R.K. Mongia p98

MICROWAVE MEASUREMENTS

Compact-scan, plane-polar microwave holographic technique for reflector antenna profile measurement. C.L. Grattan p91
Electromagnetic activity and absorption in microwave chiral composites. R. Ro, V.V. Varadan and V.K. Varadan p441
Phase shifters for dielectric guides. R.J. Collier and M.F. D'Souza p202

MICROWAVE PASSIVE COMPONENTS

Open resonators powered by a rectangular waveguide. O.M. Bucci and G. Di Massa p323

MICROWAVE SYSTEMS

Improvements in ultra-broadband TEM coupler design. C.M. Potter and G. Hjipieris p171

MICROWAVE TUBES

Improved nonlinear model for multisignal analysis of helix TWTs. V. Srivastava and S.N. Joshi p129
Simplified tape model of arbitrarily-loaded helical slow-wave structures of a travelling-wave tube. A.K. Sinha, R. Verma, R.K. Gupta, L. Kumar, S.N. Joshi, P.K. Jain and B.N. Basu p347

MILLIMETRE WAVE DEVICES AND COMPONENTS

Analysis of discontinuities in waveguiding structures by MAB method. J. Machác p351
Phase shifters for dielectric guides. R.J. Collier and M.F. D'Souza p202
Silicon monolithic millimetre-wave integrated circuits. J.-F. Luy, K.M. Strohm, J. Buechler and P. Russer p209
Theoretical and experimental resonant frequencies of rectangular dielectric resonators. R.K. Mongia p98

NETWORKS

Eigenvalue description of the quarter wave plate. J. Helszajn p110

NOISE AND INTERFERENCE

Extended source and load operating noise temperatures of nonlinear systems. T. Larsen p121
Filtering effects on permittivity profiles reconstructed by a spectral inverse scattering technique. J.M. Lee, S.Y. Kim and J.W. Ra p507
Noise temperatures of multiresponse systems. T. Larsen p309
Precipitation scatter measurements from a transhorizon experiment at 11.2 GHz. M. Thurai and J.W.F. Goddard p53

NONLINEAR SYSTEMS

Extended source and load operating noise temperatures of nonlinear systems. T. Larsen p121

NUMERICAL ANALYSIS

Far-field computation from amplitude near-field data on two surfaces: cylindrical case. O.M. Bucci, G. D'Elia, G. Leone and R. Pierri p143
Modified indirect boundary element technique and its application to electromagnetic potential problems. B. Song and J. Fu p292
Numerical solution to three-dimensional inverse scattering for dielectric reconstruction purposes. S. Caorsi, G.L. Gragnani and M. Pastorino p45

OPTICS

Beam-mode expansion applied to focal-region fields. J.W. Lamb p513
Identification of passive intermodulation product generation on microwave reflecting surfaces. P.L. Aspden and A.P. Anderson p337

OPTIMISATION

Power combining efficiency and its optimisation. M.S. Gupta p233

PERMITTIVITY

Filtering effects on permittivity profiles reconstructed by a spectral inverse scattering technique. J.M. Lee, S.Y. Kim and J.W. Ra p507
Reconstruction of permittivity and conductivity profiles of a dielectric slab in the time domain by descent methods. M. Önder and M. Kuzuoğlu p435

PRODUCT DESIGN

Improvements in ultra-broadband TEM coupler design. C.M. Potter and G. Hjipieris p171

RADAR AND RADIONAVIGATION

Fast Fourier transform techniques for solving the electric field integral equation for a periodic body. S.M. Wandzura, C.B. Thorington, R.S. Turley and L.R. Hamilton p401
Monostatic radar cross-section spectra of a rotating-fan array, with tilted plate metal blades, in the PO/PTD approximation. T.-L. Yang and S.-S. Bor p495

RADIATION

Highly efficient technique for solving radiation and scattering problems. Y. Chen, T.L. Simpson and T.Q. Ho p7
Large-current radiators. H.F. Harmuth and N.J. Mohamed p358
Radiation characteristics of a circular waveguide containing a chiral medium. T.C.K. Rao p1
Systematic approach to control feed scattering and multiple reflections in symmetrical primary-fed reflector antennas. A. Moldsvor and P.-S. Kildal p65

RADIO-WAVE PROPAGATION (GROUND WAVE)

Path integral analysis of paraxial radiowave propagation over a cliff edge. D.E. Eliades p84

RADIO-WAVE PROPAGATION (MICROWAVE)

Comparison of experimental and theoretical scattering effects from melting ice spheres at microwave and millimetre-wave frequencies. P.N. Fletcher, P.J. Hardaker, L.J. Auchterlonie and A.R. Holt p545
Paraxial radio-wave propagation over a ridge or valley. D.E. Eliades p424
Scattering from lossy dielectric cylinders using a multifilament current model with impedance boundary conditions. M. Ouda and A. Sebak p429

RADIO-WAVE PROPAGATION (MILLIMETRE WAVE)

Comparison of experimental and theoretical scattering effects from melting ice spheres at microwave and millimetre-wave frequencies. P.N. Fletcher, P.J. Hardaker, L.J. Auchterlonie and A.R. Holt p545

RADIO-WAVE PROPAGATION (TERRAIN EFFECTS)

VHF/UHF radiowave propagation through forests: modelling and experimental observations. S.S. Seker p72

RADIO-WAVE PROPAGATION (TROPOSPHERIC)

Exact ray path calculations using realistic ionospheres. P.L. Dyson and J.A. Bennett p407

RADIOCOMMUNICATION

Precipitation scatter measurements from a transhorizon experiment at 11.2 GHz. M. Thurai and J.W.F. Goddard p53

RADOMES

Analysis of triangular patch antennas including radome effects. H.R. Hassani and D. Mirshekar-Syahkal p251

SATELLITE LINKS AND SPACE COMMUNICATION

Precipitation scatter measurements from a transhorizon experiment at 11.2 GHz. M. Thurai and J.W.F. Goddard p53

SEMICONDUCTOR DEVICES AND MATERIALS

Characterisation of GaAs FET and HEMT chips and packages for accurate hybrid circuit design. J.P. Bridge, P.H. Ladbrooke and A.J. Hill p330

SIMULATION

Coupling processes in circular open chirowaveguides. H. Cory and T. Tamir p165

SUPERCONDUCTIVITY

Superconducting microwave resonators. M.J. Lancaster, T.S.M. Maclean, Z. Wu, A. Porch, P. Woodall and N.NcN. Alford p149
Supercooled and superconducting small-loop and dipole antennas. M.J. Lancaster, Z. Wu, T.S.M. Maclean and Y. Huang p264

TRANSIENTS

Analysis of transients in frequency-dependent interconnections and planar circuits with nonlinear loads. Q. Gu, D.M. Sheen and S.M. Ali p38
Correction to 'short-pulse excitation of reflector antennas'. R.C. Hansen and E. Kramer p119

TRANSMISSION LINES

Application of the method of lines to planar transmission lines in waveguides with composite cross-sectional geometries. M.A. Thorburn, A. Biswas and V.K. Tripathi p542

WAVEGUIDES AND WAVEGUIDE COMPONENTS

Analysis of *H*-plane waveguide discontinuities with an improved finite-difference time domain algorithm. E.A. Navarro, V. Such, B. Gimeno and J.L. Cruz p183
Analysis of discontinuities in waveguiding structures by MAB method. J. Macháč p351
Application of the method of lines to planar transmission lines in waveguides with composite cross-sectional geometries. M.A. Thorburn, A. Biswas and V.K. Tripathi p542
Coupling processes in circular open chirowaveguides. H. Cory and T. Tamir p165
Efficient analysis of finline structures by the boundary-element method. B. Song and J. Fu p116
Electromagnetic field computations in a three-dimensional cavity with a waveguide junction of a frequency standard. L. Pichon and A. Razek p343
Graphical depiction of the electromagnetic fields of Hermite–Gaussian modes. R.K. Arora and Z. Lu p369
New ferrite-filled waveguiding structures analysed by the averaging method. S.A. Tretyakov, M.I. Oksanen and A.S. Cherepanov p227
Open resonators powered by a rectangular waveguide. O.M. Bucci and G. Di Massa p323
Radiation characteristics of a circular waveguide containing a chiral medium. T.C.K. Rao p1
Scattering analysis of a waveguide slot radiator enclosed in a parallel plate polariser. A.J. Sangster p414
Slotted parallel-plate waveguide coupled to a conducting cylinder. P.D. Mannikko, C.C. Courtney and C.M. Butler p193
Study of TE and TM modes in waveguides of arbitrary cross-section using an FD-TD formulation. E.A. Navarro and V. Such p491